

Assessment of 'Transgender identity stigma' scale among Indian male-to-female transgender people



Venkatesan Chakrapani¹, Carmen H Logie^{2, 3}, Murali Shunmugam¹, Peter A Newman³

¹Centre for Sexuality and Health Research and Policy (C-SHaRP), ²University of Calgary, ³Factor-Inwentash Faculty of Social Work, University of Toronto

Introduction

Sexual minority stigma has been shown to influence mental health (Lewis, 2009; Meyer, 1997 & 2003; Mustanski, Garofalo & Emerson, 2010) and sexual risk.

Trans people across the world experience health disparities associated with pervasive stigma. Despite that, only limited investigations have measured stigma related to transgender (TG) identity using validated scales (Sugano et al., 2006; Walch et al., 2012).

We adapted a 11-item 'exposure to transphobia' scale (Sugano et al., 2006) to the Indian context by adding three more items, and tested this 14-item 'transgender identity stigma' scale (TGISS) among Indian male-to-female (MtF) TG people. [Note: Sugano et al.'s 2006 scale was in turn modified from the homophobia scale of Diaz et al., 2001]

The objective of this analysis was to assess the reliability and dimensionality (component structure) of TGISS.

Materials and Methods

Data were collected in a cross-sectional survey conducted among a convenience sample of 300 MtF TG people from 3 urban and 3 semi-urban sites.

The TGISS consisted of self-reported ratings on 14 items (e.g., 'heard TG people are not normal'; 'felt family is hurt by my identity') (See Table 1).

We conducted principal components analysis (PCA), with direct oblimin rotation, to extract factors (Criteria for extraction: eigenvalue >1 and visual inspection of Scree plots).

Reliability analysis was evaluated using item-total correlations and internal consistency (Cronbach's alpha coefficient).

References

- Díaz, R. M., Ayala, G., Bein, E., Henne, J., & Marin, B. V. (2001). The impact of homophobia, poverty, and racism on the mental health of gay and bisexual Latino men: Findings from 3 US cities. *Am J Public Health, 91*(6), 927-932.
- Lewis, N. M. (2009). Mental health in sexual minorities: recent indicators, trends, and their relationships to place in North America and Europe. *Health Place, 15*(4), 1029-1045. doi: 10.1016/j.healthplace.2009.05.003
- Meyer, I. H. (1995). Minority stress and mental health in gay men. *J Health Soc Behav, 36*(1), 38-56.
- Meyer, I. H. (2003). Prejudice, Social Stress, and Mental Health in Lesbian, Gay, and Bisexual Populations: Conceptual Issues and Research Evidence. *Psychol Bull, 129*(5), 674-697.
- Mustanski, B. S., Garofalo, R., & Emerson, E. M. (2010). Mental health disorders, psychological distress, and suicidality in a diverse sample of lesbian, gay, bisexual, and transgender youths. *Am J Public Health, 100*(12), 2426-2432.
- Sugano, E., Nemoto, T., & Operario, D. (2006). The impact of exposure to transphobia on HIV risk behavior in a sample of transgendered women of color in San Francisco. *AIDS Behav, 10*(2), 217-225.
- Walch, S. E., Ngamake, S. T., Francisco, J., Stitt, R. L., & Shingler, K. A. (2012). The attitudes toward transgendered individuals scale: psychometric properties. *Arch Sex Behav, 41*(5), 1283-1291.

Results

Sociodemographic characteristics:

About two-fifths were from urban sites (67%; n=200) and the remaining from semi-urban sites (33%; n=100). Mean age = 29.5 years (SD: 7.8). Median monthly income = INR 6000 (~120 USD). Self-identification as: *Hijra* = 66.7% (n=200), 'Transgender' (English term) = 25% (n=74), and *Jogta* = 8% (n=25). More than two-thirds (70.7%; n=212) reported being paid for sex in the previous three months.

Descriptive statistics of TGISS:

Mean overall score = 38.65 (SD: 7.16), Median score = 39.50. Variance = 51.37, Range = 19-56. Scale item frequencies are presented in Table 1.

Dimensionality analysis:

In the PCA, 49% of the total variance was explained by three extracted components: perceived stigma (7 items), enacted stigma (5 items), and consequences of disclosure of TG identity (2 items). All the items in the respective components had high loadings ($\geq .50$), with no cross-loadings. The various indicators of component structure were good: KMO=.78 and Bartlett's test of sphericity: Chi-Square=1080.15, df=91, p<.001.

Reliability analysis:

Cronbach's alpha was good (.74) for the whole sample. Six items had a weak item-total correlation (<.30), and eight items a strong correlation (.41 to .59). Cronbach's alpha increased each time an item with loading of <.30 (e.g., 'blackmailing') was deleted, which means those items may not be useful for measuring stigma this population. However, all the items were retained. In split-half reliability analysis, Cronbach's alpha coefficient for part 1 = .72 and part 2 = .61.

Table 1. Transgender identity stigma scale: Item frequencies (n=300)

| Extracted components | Item | Never | Once or Twice | A few times | Many times |
|---|--|-------------|---------------|-------------|-------------|
| Perceived stigma | 1. How often have you heard that transgender or hijra people are not normal? | 2 (6.7%) | 6 (2%) | 31 (10.3%) | 261 (87%) |
| | 2. How often have you felt that your transgender or hijra identity hurt and embarrassed your family? | 31 (10.3%) | 37 (12.3%) | 44 (14.7%) | 188 (62.7%) |
| | 3. How often have you had to pretend that you are not transgender or hijra in order to be accepted? | 64 (21.3%) | 48 (16%) | 50 (16.7%) | 138 (46%) |
| | 4. How often have you heard that transgender or hijras grow old alone? | 7 (2.3%) | 13 (4.3%) | 25 (8.3%) | 255 (84.9%) |
| | 5. How often has your family not accepted you because of your transgender or hijra identity? | 52 (17.3%) | 44 (14.7%) | 57 (19%) | 147 (49%) |
| | 6. How often have you lost your identity friends because of your transgender or hijra identity? | 30 (10%) | 33 (11%) | 75 (25%) | 158 (52.7%) |
| | 7. How often have you been made fun of or called names for being transgender or hijra? | 7 (2.3%) | 2 (0.7%) | 16 (5.3%) | 275 (91.7%) |
| Enacted stigma | 8. How often have you been hit or beaten up for being transgender or hijra? | 80 (26.7%) | 76 (25.3%) | 74 (24.7%) | 68 (22.7%) |
| | 9. How often have you been verbally harassed by the police for being transgender or hijra? | 68 (22.7%) | 50 (16.7%) | 90 (30%) | 92 (30.7%) |
| | 10. How often have you been physically harassed by the police for being transgender or hijra? | 115 (38.3%) | 64 (21.3%) | 81 (27%) | 35 (11.7%) |
| | 11. How often police had forced sex with you for being transgender or hijra? | 154 (51.3%) | 76 (25.3%) | 46 (15.3%) | 21 (7%) |
| | 12. Have you ever been discriminated for money for being transgender or hijra? | 157 (52.3%) | 75 (25%) | 35 (11.7%) | 33 (11%) |
| Consequences of disclosure of TG identity | 13. How often have you lost a place to live for being transgender or hijra? | 30 (10%) | 36 (12%) | 50 (16.7%) | 184 (61.3%) |
| | 14. How often have you lost a job or career opportunity for being transgender or hijra? | 148 (49.3%) | 81 (27%) | 40 (13.3%) | 31 (10.3%) |

Conclusions

- TGISS has adequate psychometric properties to measure stigma faced by MtF TG people in India.
- Adding and testing items to assess internalised stigma related to TG identity will make this scale more comprehensive.
- As nearly two-thirds of hijras/TG in this sample engaged in sex work, we could not differentiate stigma due to transgender identity from stigma due to engagement in sex work. Future research needs to consider this complexity (intersectional stigma) in developing and refining transgender-identity stigma measurement scales.
- Understanding the various dimensions of TG stigma and developing validated scales to measure TG stigma will help in designing and evaluating multi-level stigma reduction interventions among diverse groups, and in eventually decreasing health disparities among transgender people.

Acknowledgments: This analysis was part of a project supported by an ICMR grant on which Venkatesan Chakrapani MD is the PI.